



PLAN AS CAST – PC1
165 THICK 1:15

SITE LIFTING CODE

FOR CONSTRUCTION

DRAWING ISSUE		CONCRETE NOTES		REINFORCING NOTES		LIFTING TYPE		PANEL DATA		Project Title	Drawing Title
A	FOR CONSTRUCTION	24.08.18	FINISHES	MOULD FACE F5 U.N.O.	CONCRETE COVER = 40mm U. N. O.	DEMOLUING	CD1	GROSS AREA = 7.49m ²	concreteTec NEW ZEALAND LIMITED MANUFACTURERS OF PRECAST CONCRETE 587 Ridge Road, R.D.2. Pokeno 2472 Phone 275 9906 Fax 275 9907		
1	FOR APPROVAL	22.08.18	TOP FACE U3 U.N.O.	HR=ROUND HIGH YIELD STEEL 500EMPA	HR=ROUND HIGH YIELD STEEL 500EMPA	LOADING	L1	VOLUME = 1.24 m ³			
Drawn: J.KALER		15.08.18	SIDES FORMED U.N.O.	D=DEFORMED HIGH YIELD STEEL 300EMPA	D=DEFORMED MILD STEEL 300EMPA	PLACING	P1	WEIGHT = 3.17 t.	Job No. 0000		Drg.No. PC1
Scales: 1:130 U.N.O.			MIN. CONCRETE f _c AT 28 DAYS 40MPa	R=ROUND MILD STEEL 300EMPA	R=ROUND MILD STEEL 300EMPA	S = SPECIAL	A3	DENSITY = 2.56 1/m ³	Issue A		